

Enrollment No: \_\_\_\_\_ Exam Seat No: \_\_\_\_\_

# C.U.SHAH UNIVERSITY

## Summer Examination-2017

**Subject Name: Basic Mathematics**

**Subject Code: 2TE01BMT1**

**Branch: Diploma (All)**

**Semester: 1**

**Date: 22/03/2017**

**Time: 10:30 to 01:30**

**Marks: 70**

---

**Instructions:**

- (1) Use of Programmable calculator & any other electronic instrument is prohibited.
  - (2) Instructions written on main answer book are strictly to be obeyed.
  - (3) Draw neat diagrams and figures (if necessary) at right places.
  - (4) Assume suitable data if needed.
- 

**Q-1 Attempt the following questions: (14)**

a)  $\log 1 = \text{_____}$ .

- a) 0      b)  $e$       c) 1      d) none of these

b)  $\log_2 8 = \text{_____}$ .

- a) 3      b) 2      c) 1      d) none of these

c)  $\binom{n}{n} = \text{_____}$ .

- a)  $n$       b) 0      c) 1      d)  $n-1$

d) \_\_\_\_\_ is a constant term in the expansion of  $\left(x^2 + \frac{1}{x^2}\right)^8$ .

- a) 7<sup>th</sup>      b) 5<sup>th</sup>      c) 4<sup>th</sup>      d) 3<sup>rd</sup>

e) Co-efficient of  $x$  in the expansion of  $(1+x)^4$  is \_\_\_\_\_.

- a) 1      b) 0      c) 4      d) 6

f) If  $A = \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$  is a square matrix then  $A' = \text{_____}$ .

- a)  $\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$       b)  $\begin{bmatrix} 2 & 1 \\ 3 & 4 \end{bmatrix}$       c)  $\begin{bmatrix} 4 & 3 \\ 2 & 1 \end{bmatrix}$       d) none of these

g) If  $A = \begin{bmatrix} -1 & 2 \\ 3 & -4 \end{bmatrix}$  then  $adj A = \text{_____}$ .

- a)  $\begin{bmatrix} 1 & 3 \\ 2 & 4 \end{bmatrix}$       b)  $\begin{bmatrix} -1 & -2 \\ -3 & -4 \end{bmatrix}$       c)  $\begin{bmatrix} -4 & 2 \\ 3 & -1 \end{bmatrix}$       d)  $\begin{bmatrix} -4 & -2 \\ -3 & -1 \end{bmatrix}$



- h)** If  $\begin{vmatrix} x & 1 \\ 9 & 3 \end{vmatrix} = 0$  then  $x = \underline{\hspace{2cm}}$ .  
 a) 2      b) 0      c) 3      d) 1
- i)**  $\sec^2 30^\circ - \tan^2 30^\circ = \underline{\hspace{2cm}}.$   
 a) -1      b) 0      c) 1      d) none of these
- j)** If  $\theta = \frac{\pi}{4}$  then the value of  $\sin 2\theta = \underline{\hspace{2cm}}.$   
 a) 2      b) 0      c) 1      d) -1
- k)**  $\tan^{-1} x + \cot^{-1} x = \underline{\hspace{2cm}}.$   
 a) -1      b) 0      c) 1      d) none of these
- l)** If  $\bar{a} = i + 2j + 3k$  then  $|\bar{a}| = \underline{\hspace{2cm}}.$   
 a) 1      b) 6      c)  $\sqrt{14}$       d) none of these
- m)** If vectors  $\bar{a}$  and  $\bar{b}$  are perpendicular to each other then  $\bar{a} \cdot \bar{b} = \underline{\hspace{2cm}}.$   
 a) 1      b) 0      c) -1      d) none of these
- n)** If  $\bar{a} = (2, 1, 0)$  and  $\bar{b} = (0, 1, 3)$  then  $\bar{a} \cdot \bar{b} = \underline{\hspace{2cm}}.$   
 a) 1      b) 0      c) 3      d) 6

**Attempt any four questions from Q-2 to Q-8**

**Q-2 Attempt all questions**

- a)** Solve:  $\frac{4\log 3 \times \log x}{\log 9} = \log 27$  (05)
- b)** Prove that  $\log_{10} 800 = 2 + 3 \log_{10} 2$ . (05)
- c)** Prove that  $\log_y(\sqrt[8]{x}) \log_z(y^4) \log_x(\sqrt[4]{z^3}) = 1$ . (04)

**Q-3 Attempt all questions**

- a)** If  $A = \begin{bmatrix} 2 & -1 \\ 1 & 2 \end{bmatrix}$  and  $B = \begin{bmatrix} 1 & 0 \\ 2 & -1 \end{bmatrix}$  are two matrices then verify that  $(AB)^T = B^T A^T$  (05)
- b)** Find the inverse of the matrix  $A = \begin{bmatrix} 2 & -1 & 1 \\ -1 & 2 & -1 \\ 1 & -1 & 2 \end{bmatrix}$ . (05)
- c)** If  $A = \begin{bmatrix} 4 & 1 \\ 2 & 3 \end{bmatrix}$  and  $B = \begin{bmatrix} 7 & 3 \\ 6 & 4 \end{bmatrix}$  then find matrix  $A + 2B$  and  $3A - 4B$ . (04)

**Q-4 Attempt all questions**

- a)** If  $A = \begin{bmatrix} 1 & 2 & 2 \\ 2 & 1 & 2 \\ 2 & 2 & 1 \end{bmatrix}$  then find the value of  $A^2 - 4A$ . (05)



- b)** Solve the equations  $3x - 2y = 8$  and  $5x + 4y = 6$  by using matrix method. (05)  
**c)** Find the midterm of  $(2x + 3y)^8$ . (04)

**Q-5 Attempt all questions**

- a)** Find the co-efficient of  $x^6$  in the expansion of  $(x + 2)^9$ . (05)  
**b)** Expand:  $(x + 2)^5$  (05)  
**c)** If the midterm of  $\left(\frac{x}{3} + 3\right)^{10}$  is 8064 then find the value of  $x$ . (04)

**Q-6 Attempt all questions**

- a)** Find the constant term of  $\left(\frac{x}{3} + \frac{3}{x}\right)^8$ . (05)  
**b)** Simplify:  $(10i + 2j + 3k) \cdot [(i - 2j + 2k) \times (3i - 2j - 2k)]$ . (05)  
**c)** Prove that angle between two vectors  $i + 2j$  and  $i + j + 3k$  is  $\sin^{-1}\left(\sqrt{\frac{46}{55}}\right)$ . (04)

**Q-7 Attempt all questions**

- a)** Prove that  $\sin^2 \frac{\pi}{4} + \sin^2 \frac{3\pi}{4} + \sin^2 \frac{5\pi}{4} + \sin^2 \frac{7\pi}{4} = 2$ . (05)  
**b)** Forces  $F_1 = i + 2j - 3k$  and  $F_2 = i - j + 2k$  act on a particle under the influence of these forces, particle moves from point  $(3, 1, 2)$  to  $(1, 3, -1)$ . Find the work done. (05)  
**c)** If  $\bar{a} = (2, 1, 0)$ ,  $\bar{b} = (1, -1, 3)$  and  $\bar{c} = (-1, 2, 1)$  then find  $\bar{a} + 2\bar{b} - 3\bar{c}$  and  $|\bar{a} + 2\bar{b} - 3\bar{c}|$ . (04)

**Q-8 Attempt all questions**

- a)** Prove that  $\frac{\sin 2A + \sin 4A + \sin 6A + \sin 8A}{\cos 2A + \cos 4A + \cos 6A + \cos 8A} = \tan 5A$ . (05)  
**b)** Draw the graph of  $y = \sin x$ ,  $0 \leq x \leq \pi$ . (05)  
**c)** Prove that  $\tan^{-1} \frac{5}{7} + \tan^{-1} \frac{1}{6} = \frac{\pi}{4}$  (04)

