# **C.U.SHAH UNIVERSITY**

## **Summer Examination-2018**

**Subject Name: Engineering Mathematics - II** 

Subject Code: 4TE02EMT3 Branch: B.Tech (All)

Semester: 2 Date: 25/04/2018 Time: 10:30 To 01:30 Marks: 70

**Instructions:** 

- (1) Use of Programmable calculator & any other electronic instrument is prohibited.
- (2) Instructions written on main answer book are strictly to be obeyed.
- (3) Draw neat diagrams and figures (if necessary) at right places.
- (4) Assume suitable data if needed.

Q-1 Attempt the following questions:

**(14)** 

- a) The infinite series  $1+r+r^2+....+r^{n-1}+...$  is convergent if (A) |r|<1 (B) |r|>1 (C) r=1 (D) r<-1
- **b)** The sum of the series  $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{1}{n} = 1 \frac{1}{2} + \frac{1}{3} \frac{1}{4} + \dots$  is
  - (A)  $\log 2$  (B) zero (C) infinite (D) none of these
- c) The value of  $\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \cos^7 x \, dx$  is

(A) 
$$\frac{32\pi}{35}$$
 (B)  $\frac{32}{35}$  (C) zero (D)  $\frac{16}{35}$ 

**d**) If  $f_n = \int_0^{\frac{\pi}{4}} \tan^n x \, dx$ , then  $(f_n + f_{n-2})$  is equal to \_\_\_\_\_.

(A) 
$$\frac{1}{n}$$
 (B)  $\frac{1}{n-1}$  (C)  $\frac{n}{n-1}$  (D)  $\frac{n-1}{n}$ 

- e)  $\int_{1}^{\infty} \frac{1}{x^{\sqrt{2}}} dx$  is convergent.
  - (A) True (B) False
- $\mathbf{f}) \qquad \boxed{n} \boxed{n-1} = \underline{\hspace{1cm}}$ 
  - (A)  $\frac{\pi}{\cos n\pi}$  (B)  $\frac{\pi}{\sec n\pi}$  (C)  $\frac{\pi}{\cos ecn\pi}$  (D)  $\frac{\pi}{\sin n\pi}$
- g) If  $B(x,2) = \frac{1}{3}$ , then the value of  $x = \underline{\hspace{1cm}}$ .
  - (A) 0 (B) 1 (C) 2 (D) none of these
- h) If the power of y are even, then the curve is symmetrical about (A) X-axis (B) Y-axis (C) about both X and Y axes (D) none of these



i) 
$$\int_{0}^{1} dx \int_{0}^{x} e^{\frac{y}{x}} dy \text{ is equal to}$$

(A) 
$$e+1$$
 (B)  $e-1$  (C)  $\frac{1}{2}(e+1)$  (D)  $\frac{1}{2}(e-1)$ 

**j**) On converting into polar coordinates 
$$\int_{0}^{2a} \int_{0}^{\sqrt{2ax-x^2}} dx \ dy$$
 is equal to

(A) 
$$\int_{0}^{\pi} \int_{0}^{2a\cos\theta} r \, dr \, d\theta$$
 (B) 
$$\int_{0}^{\frac{\pi}{2}} \int_{0}^{2a\cos\theta} r \, dr \, d\theta$$
 (C) 
$$\int_{0}^{\frac{\pi}{2}} \int_{0}^{2a\sin\theta} r \, dr \, d\theta$$
 (D) none of these

**k)** The transformations 
$$x + y = u$$
,  $y = uv$  transform the area element  $dy dx$  into  $|J| du dv$ , where  $|J|$  is equal to

(A) 1 (B) 
$$u$$
 (C) – 1 (D) none of these

1) The degree of the differential equation 
$$3\frac{d^2y}{dx^2} = \left\{1 + \left(\frac{dy}{dx}\right)^2\right\}^{\frac{3}{2}}$$
 is

**m)** The solution of 
$$\frac{dy}{dx} = e^{x+y}$$
 is

(A) 
$$e^x - e^{-y} = c$$
 (B)  $e^x - e^y = c$  (C)  $e^x + e^{-y} = c$  (D)  $e^x + e^y = c$ 

**n)** The orthogonal trajectories of the family of curve 
$$y = cx^k$$
 are given by

(A) 
$$x^2 + ky^2 = \text{const.}$$
 (B)  $x^2 + cy^2 = \text{const.}$  (C)  $kx^2 + y^2 = \text{const.}$ 

(D) 
$$x^2 - ky^2 = \text{const.}$$

### Attempt any four questions from Q-2 to Q-8

### Q-2 Attempt all questions

a) Test the convergence of the series 
$$\frac{1}{1\cdot 2\cdot 3} + \frac{3}{2\cdot 3\cdot 4} + \frac{5}{3\cdot 4\cdot 5} + \dots$$
 (5)

**b)** Using reduction formula evaluate: 
$$\int_{0}^{1} x^{6} \sin^{-1} x \, dx$$
 (5)

c) Prove that 
$$\int_{0}^{\infty} \frac{x^4 \left(1 + x^5\right)}{\left(1 + x\right)^{15}} dx = \frac{1}{5005}.$$
 (4)

### Q-3 Attempt all questions

**a)** Prove that 
$$\int_{0}^{1} x^{q-1} \left( \log \frac{1}{x} \right)^{p-1} dx = \frac{\sqrt{p}}{q^{p}}$$
. (5)

**b)** Using reduction formula prove that 
$$\int_{0}^{a} x^{5} \left(2a^{2} - x^{2}\right)^{-3} dx = \frac{1}{2} \left(\log 2 - \frac{1}{2}\right).$$
 (5)

c) Test the convergence of the series 
$$\sum_{n=1}^{\infty} \frac{\tan^{-1} n}{n^2 + 1}$$
 (4)

### Q-4 Attempt all questions (14)



(14)

(14)

- Change the order of integration in the integral  $\int_{-\infty}^{\infty} \frac{e^{-y}}{v} dy dx$  and evaluate it. **(5)**
- Examine the series  $1 + \frac{x}{2} + \frac{x^2}{5} + \frac{x^3}{10} + \dots + \frac{x^n}{n^2 + 1} + \dots$  for convergence using ratio **(5)**

c) Solve: 
$$(y^2 e^{xy^2} + 4x^3) dx + (2xy e^{xy^2} - 3y^2) dy = 0$$
 (4)

#### **Q-5** Attempt all questions

- Solve:  $\frac{dy}{dx} = 2y \tan x + y^2 \tan^2 x$ **(5)**
- By changing into polar co-ordinates, evaluate the integral **(5)**  $\int_{0}^{2a} \int_{0}^{\sqrt{2ax-x^2}} \left(x^2 + y^2\right) \, dx \, dy .$
- Using reduction formula, evaluate:  $\int_{0}^{\infty} \frac{x^4}{(1+x^2)^4} dx$ **(4)**

#### **Q-6** Attempt all questions

- Evaluate:  $\int_{0}^{\infty} x^4 e^{-x^4} dx$ **(5)**
- Solve:  $xdy ydx = \sqrt{x^2 + y^2} dx$ **(5)**
- c) Evaluate:  $\int_{0}^{1} \int_{0}^{\sqrt{1-x^2}} \int_{0}^{\sqrt{1-x^2-y^2}} \frac{dx \, dy \, dz}{\sqrt{1-x^2-y^2-z^2}}$ **(4)**

#### Q-7Attempt all questions

- Trace the curve  $r^2 = a^2 \cos 2\theta$ . **(5)**
- Evaluate:  $\int_{2}^{\infty} \frac{x+3}{(x-1)(x^2+1)} dx$ **(5)**
- Find the length of the arc of the curve  $y = \log \sec x$  from x = 0 to  $x = \frac{\pi}{3}$ . **(4)**

#### **Q-8** Attempt all questions

- (14)Show that the volume of the spindle-shaped solid generated by revolving the **(5) a**) astroid  $x^{\frac{2}{3}} + y^{\frac{2}{3}} = a^{\frac{2}{3}}$  about the x-axis is  $\frac{32\pi a^3}{105}$ .
- Trace the curve  $y^2(2a-x)=x^3$ . b) **(5)**
- Investigate the convergence of  $\int_{2}^{5} \frac{1}{\sqrt{(x-2)}} dx$ . **(4)**



(14)

(14)

(14)