

# C.U.SHAH UNIVERSITY

## Summer Examination-2018

Subject Name : Engineering Mathematics – I

Subject Code : 4TE01EMT3

Branch: B.Tech (All)

Semester : 1

Date : 21/03/2018

Time : 02:30 To 05:30

Marks : 70

Instructions:

- (1) Use of Programmable calculator & any other electronic instrument is prohibited.
- (2) Instructions written on main answer book are strictly to be obeyed.
- (3) Draw neat diagrams and figures (if necessary) at right places.
- (4) Assume suitable data if needed.

Q-1

Attempt the following questions:

(14)

- a)  $n$ th derivative of  $y = \frac{1}{x+a}$  is
- (A)  $\frac{(-1)^n n!}{(x+a)^{n+1}}$  (B)  $\frac{(-1)^{n-1} n!}{(x+a)^{n+1}}$  (C)  $\frac{(-1)^n n!}{(x+a)^n}$  (D) none of these
- b) If  $y = \cosh 2x$  and if  $n$  is even, then  $y_n$  equal to
- (A)  $2^n \sinh 2x$  (B)  $2^n \cosh 2x$  (C)  $\cosh(2nx)$  (D) none of these
- c) If  $y = \log(1+x)$ , then  $x$  equal to
- (A)  $1+y + \frac{y^2}{2!} + \frac{y^3}{3!}$  (B)  $1 - \frac{y^2}{2!} + \frac{y^4}{4!} - \dots$  (C)  $y + \frac{y^2}{2!} + \frac{y^3}{3!} + \frac{y^4}{4!} + \dots$
- (D) none of these
- d) If  $y = \sin^{-1} x$ , then  $x$  equal to
- (A)  $1 - \frac{y^2}{2!} + \frac{y^4}{4!} - \dots$  (B)  $1 + y + \frac{y^2}{2!} + \frac{y^3}{3!} + \dots$  (C)  $1 - y + \frac{y^2}{2!} - \frac{y^3}{3!} + \dots$
- (D)  $y - \frac{y^3}{3!} + \frac{y^5}{5!} - \dots$
- e)  $\lim_{x \rightarrow \infty} x \left( a^{\frac{1}{x}} - 1 \right) = \underline{\hspace{2cm}}$
- (A)  $\log_e a$  (B) 0 (C) 1 (D) none of these
- f)  $\lim_{x \rightarrow \infty} \frac{x^n}{e^{ax}} = \underline{\hspace{2cm}}$
- (A) -1 (B) 0 (C) 1 (D) none of these
- g) If  $x = r \cos \theta$ ,  $y = r \sin \theta$ , then
- (A)  $\frac{\partial x}{\partial r} = \frac{\partial r}{\partial x}$  (B)  $\frac{\partial x}{\partial \theta} = 0$  (C)  $\frac{\partial x}{\partial r} = 0$  (D)  $\frac{\partial x}{\partial r} = \frac{1}{\partial r / \partial x}$



- h) If  $f(x, y) = 0$ , then  $\frac{dy}{dx}$  is equal to  
 (A)  $\frac{\partial f / \partial x}{\partial f / \partial y}$  (B)  $\frac{\partial f / \partial y}{\partial f / \partial x}$  (C)  $-\frac{\partial f / \partial y}{\partial f / \partial x}$  (D)  $-\frac{\partial f / \partial x}{\partial f / \partial y}$
- i) If  $f_1 = \frac{vw}{u}$ ,  $f_2 = \frac{wu}{v}$ ,  $f_3 = \frac{uv}{w}$ ; then  $\frac{\partial(f_1, f_2, f_3)}{\partial(u, v, w)}$  is equal to  
 (A) 0 (B) 1 (C) 3 (D) none of these
- j)  $\frac{\partial(u, v, w)}{\partial(x, y, z)} \cdot \frac{\partial(x, y, z)}{\partial(u, v, w)} = \text{_____}$   
 (A) 2 (B) 1 (C) 0 (D) none of these
- k) If  $x_r = \cos\left(\frac{\pi}{2^r}\right) + i \sin\left(\frac{\pi}{2^r}\right)$  then  $x_1 x_2 x_3 \dots$  to  $\infty$  is  
 (A)  $-3$  (B)  $-2$  (C)  $-1$  (D) 0
- l) If  $\left(\frac{1-i}{1+i}\right)^{100} = a + ib$ , then  
 (A)  $a = 2, b = -1$  (B)  $a = 1, b = 0$  (C)  $a = 0, b = 1$  (D)  $a = -1, b = 2$
- m) The system of equations  $x + 2y + 3z = 1$ ,  $x - y + 4z = 0$ ,  $2x + y + 7z = 1$  has  
 (A) exactly one solution (B) only two solutions (C) no solution  
 (D) infinitely many solutions
- n) The product of the eigenvalues of  $\begin{bmatrix} 1 & 4 \\ 2 & 10 \end{bmatrix}$  is  
 (A) 2 (B) 4 (C) 6 (D) 0

**Attempt any four questions from Q-2 to Q-8**

**Q-2 Attempt all questions (14)**

- a) If  $y = \frac{1}{x^2 + a^2}$  then find  $y_n$ . (5)
- b) Expand  $e^{\sin x}$  as a series of ascending power of  $x$  upto  $x^4$ . (5)
- c) If  $u = \tan^{-1}\left(\frac{y}{x}\right)$  then verify that  $\frac{\partial^2 u}{\partial x \partial y} = \frac{\partial^2 u}{\partial y \partial x}$ . (4)

**Q-3 Attempt all questions (14)**

- a) If  $y = \sin(m \sin^{-1} x)$  then prove that (5)  
 $(1 - x^2)y_{n+2} - (2n + 1)xy_{n+1} + (m^2 - n^2)y_n = 0$
- b) Prove that  $\frac{x}{e^x - 1} = 1 - \frac{1}{2}x + \frac{1}{12}x^2 - \dots$  (5)
- c) Evaluate:  $\lim_{x \rightarrow a} \log\left(2 - \frac{x}{a}\right) \cot(x - a)$  (4)

**Q-4 Attempt all questions (14)**

- a) Evaluate:  $\lim_{x \rightarrow 0} \frac{a}{x^2} \left[ \frac{\sin kx}{\sin lx} - \frac{k}{l} \right]$  (5)



b) If  $u = \frac{y^2}{x}$ ,  $v = \frac{x^2}{y}$ , evaluate  $J = \begin{pmatrix} x, y \\ u, v \end{pmatrix}$  and  $J' = \begin{pmatrix} u, v \\ x, y \end{pmatrix}$  and hence verify that  $JJ' = 1$ . (5)

c) Calculate approximate value of  $\sqrt{9.12}$  by using Taylor's theorem. (4)

**Q-5**

**Attempt all questions**

(14)

a) If  $u = \log(x^3 + y^3 - x^2y - xy^2)$  then prove that  $\left(\frac{\partial}{\partial x} + \frac{\partial}{\partial y}\right)^2 u = -\frac{4}{(x+y)^2}$ . (5)

b) Evaluate:  $\lim_{x \rightarrow 0} \left(\frac{a^x + b^x + c^x + d^x}{4}\right)^{\frac{1}{x}}$  (5)

c) If  $y = \sin^4 x$  then find  $y_n$ . (4)

**Q-6**

**Attempt all questions**

(14)

a) The power consumed in an electric resistor is given by  $P = \frac{E^2}{R}$  (in watts). If (5)

$E = 200$  volts and  $R = 8$  ohms, by how much does the power change if  $E$  is decreased by 5 volts and  $R$  is decreased by 0,20 ohms?

b) Prove that  $\left(\frac{1 + \sin \theta + i \cos \theta}{1 + \sin \theta - i \cos \theta}\right)^n = \cos\left(\frac{n\pi}{2} - n\theta\right) + i \sin\left(\frac{n\pi}{2} - n\theta\right)$  (5)

c) Find the rank of matrix  $A = \begin{bmatrix} 6 & 1 & 1 & 1 \\ 16 & 1 & -1 & 5 \\ 7 & 2 & 3 & 0 \end{bmatrix}$ . (4)

**Q-7**

**Attempt all questions**

(14)

a) Using matrix method, show that the equations (5)

$3x + 3y + 2z = 1$ ,  $x + 2y = 4$ ,  $10y + 3z = -2$ ,  $2x - 3y - z = 5$

Are consistent and hence find the solution.

b) Find the roots common to the equations  $x^4 + 1 = 0$  and  $x^6 - i = 0$ . (5)

c) Find  $\tanh x$  if  $5 \sinh x - \cosh x = 5$ . (4)

**Q-8**

**Attempt all questions**

(14)

a) Find the inverse of  $A = \begin{bmatrix} -1 & 1 & 2 \\ 3 & -1 & 1 \\ -1 & 3 & 4 \end{bmatrix}$  by Gauss-Jordan reduction method. (5)

b) Using De Moivre's theorem, expand  $\sin^8 \theta$  in a series of cosines of multiples of  $\theta$ . (5)

c) Check whether the following set of vectors is linearly dependent or linearly independent: (4)

$(1, 2, -1, 0)$ ,  $(1, 3, 1, 2)$ ,  $(4, 2, 1, 0)$ ,  $(6, 1, 0, 1)$

