Enrollment No: _____   Exam Seat No:_____

C.U.SHAH UNIVERSITY
Summer Examination-2019

Subject Name : Web Scripting Language

Subject Code : 4CS02IWS2   **Branch: B.Sc.I.T.**

Semester : 2   **Date : 25/04/2019**   **Time : 02:30 To 05:30**   **Marks : 70**

Instructions:
(1) Use of Programmable calculator & any other electronic instrument is prohibited.
(2) Instructions written on main answer book are strictly to be obeyed.
(3) Draw neat diagrams and figures (if necessary) at right places.
(4) Assume suitable data if needed.

Q-1   Attempt the following questions: (14)

a) HTML stands for _____.
    a. Hyper Tabular Markup Language   b. High Text Markup Language
    c. Hyper Text Markup Language   d. None of these

b) Which of the following attributes of text box control allow to limit the maximum character?
    a. size   b. len
    c. maxlen   d. maxlength

c) Which of the tag is used to creates a number list?
    a. <LI>   b.
    c.   d. <dl>

d) The body tag usually used after ____ tag.
    a. <head>   b. <form>
    c. <title>   d. <table>

e) Which tag is used to display a picture in a HTML page?
    a. picture   b. image
    c. img   d. src

f) Which HTML tag produces the biggest heading?
    a. <h7>   b. <h1>
    c. <h5>   d. <h6>

g) What does CSS stand for?
    a. Creative Style Sheet   b. Computer Style Sheet
    c. Colorful Style Sheet   d. Cascading Style Sheet

h) Which of the following property is used to make a font italic or oblique?
    a. font-family   b. font-variant
    c. font-style   d. font-weight

i) Which HTML tag is used to define an internal style sheet?
    a. <css>   b. <script>

c. <style>   d. <link>
j) JavaScript is _____ Side Scripting Language.
  a. Client   b. Server
  c. Both a. and b.   d. None of these
k) Which built-in method returns the length of the string?
  a. length()   b. index()
  c.size()   d. None of these
l) ___ keyword is used to declare a variable in Javascript.
  a. dim   b. variable
  c. var   d. declare
m) Which Jquery method is used to hide selected elements?
  a. hidden()   b. hide()
  c. visible(false)   d. display(none)
n) Which Jquery method is used to set one or more style properties for selected elements?
  a. style()   b. html()
  c. css()   d. toggle()

Attempt any four questions from Q-2 to Q-8

Q-2   **Attempt all questions**   **(14)**
  a) Explain anchor tag <a> with its attributes with example.   **(5)**
  b) Explain <select>…</select> tag with example.   **(5)**
  c) Explain singular tag and container tag with example.   **(4)**

Q-3   **Attempt all questions**   **(14)**
  a) Explain body tag with its attributes.   **(5)**
  b) Explain ordered list and unordered list with example.   **(5)**
  c) Explain <hr> tag with its attributes with example.   **(4)**

Q-4   **Attempt all questions**   **(14)**
  a) What is style sheet? Explain types of style sheet with example.   **(5)**
  b) Explain Javascript dialog boxes in Javascript with example.   **(5)**
  c) Explain CSS display and CSS visibility with example.   **(4)**

Q-5   **Attempt all questions**   **(14)**
  a) Explain Javascript timer events with example.   **(5)**
  b) Explain any five methods of Javascript string object with example.   **(5)**
  c) Explain types of selector in Jquery with example.   **(4)**

Q-6   **Attempt all questions**   **(14)**
  a) Explain Jquery effects with example/.   **(7)**
  b) Explain CSS background properties with example.   **(7)**

Q-7   **Attempt all questions**   (14)
    a) Explain Jquery mouse events with example.   **(7)**
    b) Explain document object with properties and methods.   **(7)**

Q-8   **Attempt all questions**   (14)
    a) Explain <table>,<tr>,<th> tag with example.   **(7)**
    b) Explain Javascript operators.   **(7)**