

C.U.SHAH UNIVERSITY

Summer Examination-2019

Subject Name : Engineering Mathematics - I

Subject Code : 4TE01EMT1

Branch: B.Tech (All)

Semester : 1

Date : 14/03/2019

Time : 02:30 To 05:30

Marks : 70

Instructions:

- (1) Use of Programmable calculator & any other electronic instrument is prohibited.
- (2) Instructions written on main answer book are strictly to be obeyed.
- (3) Draw neat diagrams and figures (if necessary) at right places.
- (4) Assume suitable data if needed.

Q-1

Attempt the following questions:

(14)

- a) If $x_r = \cos\left(\frac{\pi}{2^r}\right) + i \sin\left(\frac{\pi}{2^r}\right)$ then $x_1 x_2 x_3 \dots$ to ∞ is
 (A) -3 (B) -2 (C) -1 (D) 0
- b) If $\left(\frac{1-i}{1+i}\right)^{100} = a + ib$, then
 (A) $a = 2, b = -1$ (B) $a = 1, b = 0$ (C) $a = 0, b = 1$ (D) $a = -1, b = 2$
- c) If $f(x) = \frac{e^x - e^{-x}}{2}$ is continuous at $x = 0$, then the value of $f(0)$ must be
 (A) 0 (B) 1 (C) 2 (D) 3
- d) $\lim_{x \rightarrow \infty} x^n e^{-ax}$ (n being a positive integer and $a > 0$) = _____
 (A) -1 (B) 0 (C) 1 (D) None of these
- e) The sum of the series $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{1}{n} = 1 - \frac{1}{2} + \frac{1}{3} - \frac{1}{4} + \dots$ is
 (A) $\log 2$ (B) zero (C) infinite (D) none of these
- f) The interval of convergence of the logarithmic series
 $\log(1+x) = x - \frac{x^2}{2} + \frac{x^3}{3} - \dots \infty$ is
 (A) $-1 < x \leq 1$ (B) $-1 < x < 2$ (C) $-\infty < x < \infty$ (D) $-1 \leq x \leq 1$
- g) If the two tangents at the point are real and distinct the double point is called
 (A) a node (B) a cusp (C) a conjugate point (D) none of these
- h) If the power of y are even, then the curve is symmetrical about
 (A) X-axis (B) Y-axis (C) about both X and Y axes (D) none of these
- i) The series $1 + \frac{x^2}{2!} + \frac{x^4}{4!} + \dots$ represent expansion of



(A) $\sin x$ (B) $\log(1+x)$ (C) $\cos x$ (D) $\cosh x$

j) If $y = \sin^{-1} x$, then x equal to

(A) $1 - \frac{y^2}{2!} + \frac{y^4}{4!} - \dots$ (B) $1 + y + \frac{y^2}{2!} + \frac{y^3}{3!} + \dots$

(C) $1 - y + \frac{y^2}{2!} - \frac{y^3}{3!} + \dots$ (D) $y - \frac{y^3}{3!} + \frac{y^5}{5!} - \dots$

k) If $u(x, y, z) = 0$ then the value of $\frac{\partial x}{\partial y} \cdot \frac{\partial y}{\partial z} \cdot \frac{\partial z}{\partial x}$ is equal to

(A) 1 (B) -1 (C) 0 (D) none of these

l) If $u = f\left(\frac{x}{y}\right)$ then

(A) $x \frac{\partial u}{\partial x} - y \frac{\partial u}{\partial y} = 0$ (B) $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = 0$ (C) $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = u$

(D) $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = 1$

m) If $f_1 = \frac{vw}{u}$, $f_2 = \frac{wu}{v}$, $f_3 = \frac{uv}{w}$; then $\frac{\partial(f_1, f_2, f_3)}{\partial(u, v, w)}$ is equal to

(A) 0 (B) 1 (C) 3 (D) none of these

n) If errors of 3% in E and -2% in R are made, then the percentage error in

$P = \frac{E^2}{R}$ is

(A) 8% (B) 0% (C) 4% (D) 6%

Attempt any four questions from Q-2 to Q-8

Q-2 Attempt all questions (14)

a) Prove that $\left(\frac{1 + \sin \theta + i \cos \theta}{1 + \sin \theta - i \cos \theta}\right)^n = \cos\left(\frac{n\pi}{2} - n\theta\right) + i \sin\left(\frac{n\pi}{2} - n\theta\right)$ (5)

b) Evaluate: $\lim_{x \rightarrow 0} \left(\frac{1}{x}\right)^{1 - \cos x}$ (5)

c) Evaluate: $\lim_{x \rightarrow a} \log\left(2 - \frac{x}{a}\right) \cot(x - a)$ (4)

Q-3 Attempt all questions (14)

a) Using De Moivre's theorem, expand $\sin^8 \theta$ in a series of cosines of multiples of θ (5)

b) Evaluate: $\lim_{x \rightarrow \frac{\pi}{4}} (1 - \tan x) \sec 2x$ (5)

c) Find the fourth roots of unity and sketch them on the unit circle. (4)

Q-4 Attempt all questions (14)

a) Expand $e^{\sin x}$ as a series of ascending power of x upto x^4 . (5)

b) Prove that $(1+x)^x = 1 + x^2 - \frac{1}{2}x^3 + \frac{5}{6}x^4 - \dots$ (5)



c) Test the convergence of the series $\sum_{n=1}^{\infty} \frac{\tan^{-1} n}{n^2 + 1}$. (4)

Q-5 Attempt all questions (14)

a) Test the convergence of the series $\frac{1}{1 \cdot 2 \cdot 3} + \frac{3}{2 \cdot 3 \cdot 4} + \frac{5}{3 \cdot 4 \cdot 5} + \dots$ (5)

b) Examine the series $1 + \frac{x}{2} + \frac{x^2}{5} + \frac{x^3}{10} + \dots + \frac{x^n}{n^2 + 1} + \dots$ for convergence using ratio test. (5)

c) Expand $f(x) = x^4 - 11x^3 + 43x^2 - 60x + 14$ in powers of $(x - 3)$. (4)

Q-6 Attempt all questions (14)

a) If $u = \frac{y^2}{x}$, $v = \frac{x^2}{y}$, evaluate $J = \begin{pmatrix} x, y \\ u, v \end{pmatrix}$ and $J' = \begin{pmatrix} u, v \\ x, y \end{pmatrix}$ and hence (5)

verify that $JJ' = 1$.

b) If $V = \frac{1}{r}$ where $r^2 = x^2 + y^2 + z^2$ show that $V(x, y, z)$ satisfies Laplace's (5)

equation $\frac{\partial^2 V}{\partial x^2} + \frac{\partial^2 V}{\partial y^2} + \frac{\partial^2 V}{\partial z^2} = 0$.

c) Find the asymptotes of the curve $y^3 - x^2(6 - x) = 0$. (4)

Q-7 Attempt all questions (14)

a) Trace the curve $r = a(1 + \cos \theta)$. (5)

b) If $x = r \sin \theta \cos \phi$, $y = r \sin \theta \sin \phi$, $z = r \cos \theta$ then find $\frac{\partial(x, y, z)}{\partial(r, \theta, \phi)}$. (5)

c) If $u = \tan^{-1} \left(\frac{x^2 + y^2}{x - y} \right)$ then show that $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = \frac{1}{2} \sin 2u$. (4)

Q-8 Attempt all questions (14)

a) Trace the curve $x^3 + y^3 = 3axy$. (5)

b) Using the formula $R = \frac{E}{I}$, find the maximum error and percentage of error in R if $I = 20$ with a possible error of 0.1 and $E = 120$ with a possible error of 0.05 and $R = 6$. (5)

c) Examine the extreme values of $x^2 - 2xy + \frac{1}{3}y^3 - 3y$. (4)

