

# C. U. SHAH UNIVERSITY

## Winter Examination-2022

**Subject Name: Engineering Mathematics - II**

**Subject Code: 4TE02EMT3**

**Branch: B.Tech (All)**

**Semester: 2**

**Date: 19/09/2022**

**Time: 11:00 To 02:00**

**Marks: 70**

**Instructions:**

- (1) Use of Programmable calculator & any other electronic instrument is prohibited.
- (2) Instructions written on main answer book are strictly to be obeyed.
- (3) Draw neat diagrams and figures (if necessary) at right places.
- (4) Assume suitable data if needed.

**Q-1 Attempt the following questions: (14)**

- a) The series  $1 - \frac{1}{2} + \frac{1}{2^2} - \frac{1}{2^3} + \dots + \infty$  is  
 (a) convergent (b) divergent (c) finitely oscillating (d) infinitely oscillating
- b) Telescoping series is  
 (a) convergent (b) divergent (c) finitely oscillating (d) None of these

c)  $\int_0^{\pi/2} \sin^4 x \, dx = \underline{\hspace{2cm}}$   
 (a)  $\frac{3\pi}{16}$  (b)  $\frac{6\pi}{16}$  (c)  $\frac{9\pi}{16}$  (d)  $\frac{3\pi}{4}$

- d) If equation of the curve is  $y = f(x)$ , then length of the curve is \_\_\_\_\_

(a)  $s = \int_{x_1}^{x_2} \sqrt{1 + \left(\frac{dy}{dx}\right)^2} \, dx$  (b)  $s = \int_{x_1}^{x_2} \sqrt{1 + \frac{dy}{dx}} \, dx$

(c)  $s = \int_{x_1}^{x_2} \sqrt{1 - \left(\frac{dy}{dx}\right)^2} \, dx$  (d) None of these

- e)  $\Gamma(n-1) = \underline{\hspace{2cm}}$ . ( $n \geq 2$ )

(a)  $(n-2)!$  (b)  $(n-3)!$  (c)  $(n-4)!$  (d)  $(n-5)!$

f)  $\beta\left(\frac{1}{2}, \frac{1}{2}\right) = \underline{\hspace{2cm}}$ .

(a)  $\sqrt{\pi}$  (b) 1 (c) 0 (d)  $\pi$

- g) For  $m > 0$ , Gamma Function is \_\_\_\_\_

(a) convergent (b) divergent (c) finitely oscillating (d) None of these



- h)** Area of Region R is \_\_\_\_\_  
 (a)  $\int_R x \, dy$       (b)  $\int_R y \, dx$       (c)  $\iint_R dx \, dy$       (d)  $\iiint_R dx \, dy \, dz$
- i)** Tangents to the curve at infinity are called \_\_\_\_\_.  
 (a) Cusp      (b) Node      (c) Conjugate Point      (d) Asymptotes
- j)** The transformation  $x = r \cos \theta$ ,  $y = r \sin \theta$  transform the area element  $dydx$  into  $|J|drd\theta$  where  $|J|$  is equal to  
 (a)  $r$       (b)  $r^2$       (c)  $r^2 \sin \phi$       (d)  $r^2 \cos \phi$
- k)** The tangents are real and distinct then the double point is called \_\_\_\_\_.  
 (a) Cusp      (b) Node      (c) Conjugate Point      (d) Asymptotes
- l)** Which of the following is true?  
 (a)  $\Gamma(m) = 2 \int_0^\infty e^{-x^2} \cdot x^{2m-1} dx$       (b)  $B(m, n) = B(n, m)$   
 (c)  $\Gamma\left(m + \frac{1}{2}\right) = \frac{2m-1}{2} \frac{2m-3}{2} \dots \frac{1}{2} \sqrt{\pi}$       (d) All are true
- m)** Degree of differential Equation  $\frac{d^2y}{dx^2} = \left(\frac{d^2y}{dx^2} + \left(\frac{dy}{dx}\right)^2 + y^2\right)^{\frac{1}{4}}$  is \_\_\_\_\_.  
 (a) 2      (b) 3      (c) 4      (d) 1
- n)** What is the general solution of  $xdy + ydx = 0$ ?  
 (a)  $xy = c$       (b)  $x=cy$       (c)  $y = cx$       (d)  $xy = 0$

**Attempt any four questions from Q-2 to Q-8**

**Q-2      Attempt all questions      (14)**

- a).** Prove that  $\int_0^1 x^5(1-x^5)^{10} dx = \frac{1}{3} B(2,11)$ .      (05)
- b).** Evaluate:  $\int_0^1 x^m \left(\log \frac{1}{x}\right)^n dx$       (05)
- c).** Show that  $B(m, n) = \int_0^1 \frac{x^{m-1} + x^{n-1}}{(1+x)^{m+n}} dx$       (04)

**Q-3      Attempt all questions      (14)**

- a).** Show that the series  $\frac{1}{1 \cdot 2} + \frac{1}{2 \cdot 3} + \frac{1}{3 \cdot 4} + \dots + \frac{1}{n(n+1)} + \dots \infty$  converges and find its sum.      (05)
- b).** Examine the series  $\sum_{n=1}^{\infty} \frac{x^n}{n^p}$  for convergence using root test.      (05)



c). Find radius of convergence for the series  $x - \frac{x^3}{3} + \frac{x^5}{5} - \dots$  (04)

**Q-4 Attempt all questions** (14)

a). Solve:  $\frac{dy}{dx} + 2y \tan x = \sin x$  given that  $y = 0$  when  $x = \frac{\pi}{3}$ . (05)

b). Solve:  $(x^2 + y^2 + 1)dx - 2xy dy = 0$ . (05)

c). Solve:  $\frac{dy}{dx} = \cos x \cos y - \sin x \sin y$ . (04)

**Q-5 Attempt all questions** (14)

a). Transform the integral  $\int_0^{4a} \int_{\frac{y^2}{4a}}^y \frac{x^2 - y^2}{x^2 + y^2} dx dy$  by changing to polar (05)

Co-ordinates and hence evaluate it.

b). Find the area between one arc of the cycloid  $x = a(\theta + \sin \theta)$ ,  
 $y = a(1 - \cos \theta)$  and its base. (05)

c). Evaluate:  $\int_{-c}^c \int_{-b}^b \int_{-a}^a (x^2 + y^2 + z^2) dz dy dx$  (04)

**Q-6 Attempt all questions** (14)

a). Using reduction formula Evaluate  $\int_0^{\pi} x \sin^7 x \cos^4 x dx$  (05)

b). Using reduction formula prove that  $\int_0^1 x^m (1-x)^n dx = \frac{m! n!}{(m+n+1)!}$  (05)

c). Test the convergence of the integral  $\int_0^{\infty} \frac{\cos x}{1+x^2} dx$  (04)

**Q-7 Attempt all questions** (14)

a). A circuit containing a resistance  $R$ , an inductance  $L$  in series is acted on by periodic electromotive force  $E \sin \omega t$ . If  $i = 0$  at  $t = 0$  show that (07)

$$i(t) = \frac{E}{\sqrt{R^2 + L^2 \omega^2}} \left[ \sin(\omega t - \phi) + e^{-\frac{Rt}{L}} \sin \phi \right], \text{ where } \phi = \tan^{-1} \left( \frac{L\omega}{R} \right)$$

b). State and prove Legendre's formula. (07)

**Q-8 Attempt all questions** (14)

a). Find the volume of the solid generated by the revolution of the loop of the curve  $x(x^2 + y^2) = a(x^2 - y^2)$  about the  $x$  - axis. (05)



b). Test the convergence of the integral  $\int_0^{\infty} \frac{x^2}{\sqrt{x^5 + 1}} dx$  (05)

c). Trace the curve  $y^2 = \frac{x^2(a - x)}{(a + x)}$ ; where  $a > 0$ . (04)

